

SECTION 12. Best Management Practices

- (a) Every regulated activity shall be conducted in accordance with the following:
- (1) hazardous materials may be stored above ground within an aquifer protection area only in accordance with the following conditions:
 - (A) hazardous material shall be stored in a building or under a roof that minimizes storm water entry to the hazardous material storage area, except that a roof is not required for a bulk storage facility as defined in Section 2 of the APA Regulations,
 - (B) floors within a building or under a roof where hazardous material may be stored shall be constructed or treated to protect the surface of the floor from deterioration due to spillage of any such material,
 - (C) a structure which may be used for storage or transfer of hazardous material shall be protected from storm water run-on, and ground water intrusion,
 - (D) hazardous material shall be stored within an impermeable containment area which is capable of containing at least the volume of the largest container of such hazardous material present in such area, or 10% of the total volume of all such containers in such area, whichever is larger, without overflow of released hazardous material from the containment area,
 - (E) hazardous material shall not be stored with other hazardous materials that are incompatible and may create a hazard of fire, explosion or generation of toxic substances,
 - (F) hazardous material shall be stored only in a container that has been certified to meet state or federal specifications for containers suitable for the transport or storage of such material,
 - (G) hazardous material shall be stored only in an area that is secured against unauthorized entry by the public, and
 - (H) the requirements of this subdivision are intended to supplement, and not to supersede, any other applicable requirements of federal, state, or local law, including applicable requirements of the Resource Conservation and Recovery Act of 1976;
 - (2) no person shall increase the number of underground storage tanks used to store hazardous materials;
 - (3) an underground storage tank used to store hazardous materials shall not be replaced with a larger tank unless (A) there is no more than a 25% increase in volume of the larger replacement tank, and (B) the larger replacement tank is a double-walled tank with co-axial piping, both meeting new installation component standards pursuant to §22a-449(d)-1(e) and §22a-449(d)-102 of the Regulations of Connecticut State

Agencies, and with interstitial monitoring;

- (4) no person shall use, maintain or install floor drains, dry wells or other infiltration devices or appurtenances which allow the release of waste waters to the ground, unless such release is permitted by the Commissioner in accordance with §22a-430 or §22a-430b of the Connecticut General Statutes; and
- (5) a materials management plan shall be developed and implemented in accordance with the following:
 - (A) a materials management plan shall contain, at a minimum, the following information with respect to the subject regulated activity:
 - (i) a pollution prevention assessment consisting of a detailed evaluation of alternatives to the use of hazardous materials or processes and practices that would reduce or eliminate the use of hazardous materials, and implementation of such alternatives where possible and feasible,
 - (ii) a description of any operations or practices which may pose a threat of pollution to the aquifer, which shall include the following:
 - (aa) a process flow diagram identifying where hazardous materials are stored, disposed and used, and where hazardous wastes are generated and subsequently stored and disposed,
 - (bb) an inventory of all hazardous materials which are likely to be or will be manufactured, produced, stored, utilized or otherwise handled, and
 - (cc) a description of waste, including waste waters generated, and a description of how such wastes are handled, stored and disposed,
 - (iii) the name, street address, mailing address, title and telephone number of the individual(s) responsible for implementing the materials management plan and the individual(s) who should be contacted in an emergency,
 - (iv) a record-keeping system to account for the types, quantities, and disposition of hazardous materials which are manufactured, produced, utilized, stored, or otherwise handled or which are discharged or emitted; such record-keeping system shall be maintained at the subject facility and shall be made available thereat for inspection during normal business hours by the Commissioner and the municipal aquifer protection agency, and
 - (v) an emergency response plan for responding to a release of hazardous materials. Such plan shall describe how each such release could result in pollution to the underlying aquifer and shall set forth the methods used or to be used to prevent and abate any such a release;
 - (B) when a materials management plan is required under either Section 8(c) or 9(d) of the APA Regulations, such materials management plan shall be completed

and certified by a professional engineer or a certified hazardous materials manager, or, if the facility where the regulated activity is conducted has received and maintained an ISO 14001 environmental management system certification, then the registrant may complete and certify the materials management plan; and

- (C) the materials management plan shall be maintained at the subject facility and shall be made available thereat for inspection during normal business hours by the Commissioner and the municipal aquifer protection agency.
- (b) The development and implementation of a storm water management plan required for regulated activities in accordance with Sections 8(c) and 9(d) of the APA Regulations, shall be as follows: A storm water management plan shall assure that storm water run-off generated by the subject regulated activity is (i) managed in a manner so as to prevent pollution of ground water, and (ii) shall comply with all of the requirements for the General Permit of the Discharge of Storm Water associated with a Commercial Activity issued pursuant to §22a-430b of the Connecticut General Statutes.